Atty Dkt. No.: 10031482-1

USSN: 10/828,986 RECEIVED

CENTRAL FAX CENTER

JUN 0 8 2007

AMENDMENTS TO THE CLAIMS

Please amend the claims as shown below. A complete listing of the claims, including their current status identifier, is set forth below.

- 1. (Currently amended) A CpG unstructured nucleic acid (UNA) oligonucleotide containing at least one UNA nucleotide and which hybridizes under stringent assay hybridization conditions to a discrete region of a genome that contains a CpG that is, or is predicted to be, a target for a cellular methyltransferase.
- 2. (Currently amended) The oligonucleotide of claim 1, wherein said CpG UNA oligonucleotide binds to an uncleaved CpG island, but not to a CpG island cleaved by a methylation-sensitive restriction enzyme, under stringent assay hybridization conditions.
- 3. (Original) The oligonucleotide of claim 1, wherein said oligonucleotide comprises nucleotides G' and C', wherein said nucleotides G' and C' base pair with each other with a stability that is lower than that of G and C.
- 4. (Original) The oligonucleotide of claim 1, wherein said oligonucleotide comprises nucleotides A' and T', wherein said nucleotides A' and T' base pair with each other with a stability that is lower than that of A and T.
- 5. (Original) An array of features comprising at least one feature comprising an oligonucleotide of claim 1.
- 6. (Original) The array of claim 5, wherein said array comprises at least 1000 different CpG UNA oligonucleotide features.
- 7. (Withdrawn) A method for evaluating methylation of a CpG island, comprising

contacting said CpG island with a methylation-sensitive restriction enzyme to produce a target composition; and assessing binding of said target composition to a CpG_UNA oligonucleotide of claim 1.

6503273231

- (Withdrawn) The method of claim 7, wherein said oligonucleotide is a 8. surface-bound oligonucleotide.
- (Withdrawn) The method of claim 7, wherein said oligonucleotide is 9. bound to a solid support that contains an oligonucleotide array.
- (Withdrawn) The method of claim 7, wherein the presence of a CpG 10. island that is not cleaved by said methylation-sensitive enzyme indicates that said CpG island is methylated.
- 11. (Withdrawn) The method of claim 7, wherein said binding is assessed relative to binding of a target composition obtained from a CpG island that has not been contacted with said restriction enzyme or contacted with a methylation insensitive restriction enzyme.
- 12. (Withdrawn) The method of claim 7, wherein said method further comprises labeling said target composition.
- 13. (Withdrawn) The method of claim 7, wherein said assessing is done using a non-reduced complexity target composition.
- 14. (Withdrawn) The method of claim 7, wherein said assessing is done using a reduced complexity target composition.
- 15. (Withdrawn) A method of comparing methylation of a CpG island in a reference cell and a test cell, comprising:

employing the method of claim 7 to independently evaluate methylation of said CpG island in said reference and test second cells; and

comparing results of said evaluation.

- 16. (Withdrawn) The method of claim 15, wherein said test cell exhibits a different phenotype as compared to said reference cell.
- 17. (Withdrawn) The method of claim 16, wherein said phenotype is a cancerous phenotype.
- 18. (Withdrawn) The method of claim 15, wherein said test cell has been subjected to a different condition to said reference cell.
- 19. (Withdrawn) The method of claim 15, wherein said reference and test cells are different cells.
- 20. (Withdrawn) A method of assaying methylation of CpG islands in a sample comprising:
 - (a) contacting a sample with a methylation sensitive restriction enzyme;
 - (b) contacting an array according to claim 5 with the composition produced by step (a); and
 - (c) detecting the presence of any resultant binding complexes on the surface of said array.
- 21. (Withdrawn) The method according to claim 20, wherein said method is a genome comparison assay.
- 22. (Withdrawn) A method comprising transmitting data from a method of claim 20 from a first location to a second location.
- 23. (Withdrawn) The method of claim 22, wherein said second location is a remote location.

- 24. (Withdrawn) A method comprising receiving a transmitted result of a reading of an array obtained according to the method claim 20.
 - (Original) A kit comprising:
 a CpG island unstructured nucleic acid (UNA) oligonucleotide.
- 26. (Original) The kit of claim 25, wherein said oligonucleotide is a surface-bound oligonucleotide.
- 27. (Original) The kit of claim 26, wherein said oligonucleotide is present in a feature of an array of oligonucleotide features.
- 28. (Previously presented) The kit of claim 26, further including instructions for performing a method for evaluating methylation of said CpG island, comprising contacting said CpG island with a methylation-sensitive restriction enzyme to produce a target composition; and assessing binding of said target composition to said CpG UNA oligonucleotide.
- 29. (Original) The kit of claim 25, further comprising reagents for labeling samples containing CpG islands.
 - (Withdrawn) A computer-readable medium comprising:
 programming for analyzing data produced by the method of claim 15.
- 31. (Withdrawn) The computer-readable medium of claim 30, wherein an output of said programming is an evaluation of methylation at said CpG island.
 - 32-33. (Cancelled)
- 34. (Previously presented) The kit of claim 26, further including instructions for performing a method of comparing methylation of said CpG Island in a reference cell and a test cell, comprising: contacting said CpG Island with a methylation-sensitive restriction enzyme to produce a target composition; assessing

binding of said target composition to said CpG UNA oligonucleotide to independently evaluate methylation of said CpG island in said reference and said test cells; and comparing results of said evaluation.